

Powers
FASTENING INNOVATIONS



TRAK-IT

Gas Operated Fastening System

NEW!
*Long Shot
Pole Tool*



THE CONCRETE SOLUTION™

DeWALT
DRIVEN

Powers
ENGINEERED

The cordless concrete pin nailer with the advantages!

Length	17.24"
Height	14.71"
Width	4.88"
Weight	7.90 lbs.
Power	105 Joules
Power/Weight Ratio	13.04
Pin Length	1/2"-1-1/2"
Pin Shank Dia.	.102"-.145"
Trigger Pull Load	2.65 lbs.
Magazine	Removable by Lever
Adjustable Depth Control	Dial
Dust Resistant (Suction Filter)	Metal Mesh
Maintenance Counter	LED Cleaning Indicator
Shots Per Fuel Cell	800

LIGHTEST AND SMALLEST TOOL IN ITS CLASS

105 JOULES, SHOOTS INTO EVEN THE HARDEST CONCRETE

LIGHTEST PULL LOAD OF ANY TOOL AT 2.65 LBS.

GREATEST VARIETY OF PIN DIAMETERS AND LENGTHS WITH SPECIALIZED PINS AVAILABLE

QUALITY STAINLESS MESH FILTERS
Reduces fine dust intake & exhaust

DEPTH ADJUSTER
Up to .187"

2-1/2" CLEARANCE
Shoots deep and slip track with short 1" stroke

FUEL INJECTION
Precision internal fuel metering

UNIQUE MAGAZINE
Accommodates .102, .120 and .145 pin diameters



Metal mesh filter offers twice the protection of sponge filters, easy to clean and reuse.



SERVICE REMINDER – Steady red light when battery is dead. Flashing light indicator shows tool is in need of required service or cleaning



Convenient belt-loop hook



PUSH BUTTON FUEL DOOR
Easier fuel cell insertion & chamber closure

SWING TRIGGER
Effortless firing overhead or reaching out

SOFT MOLDED GRIP
Ergonomic design

ENGINEERED BELT LOOP
Reversible and can hang tool from 1-1/2" max. pipe scaffolding

LED INDICATOR
Indicates low battery and service required

ONE-CLICK LEVER
Removes magazine easily

C5 Tool Selection			
Cat. No.	Description	Box	Ctn
55142	Deep Track 1-1/4" maximum pin length 42 pin magazine capacity	1	1
55144	Short Track 1-1/2" maximum pin length 22 pin magazine capacity	1	1
55148	Long Track 1-1/2" maximum pin length 42 pin magazine capacity	1	1


C5 Tool Weight vs. Competition (in Lbs)

c5
7.90

HILTI®
8.63

ITW®
9.53

Hilti is a registered trademark of Hilti Corporation, Schaan, LI
ITW is a registered trademark of Illinois Tool Works



The C5 Gas Fastening tool has more power than the competition. More power equals better performance in steel to steel and hard aggregate concrete application.

The NEW 55325 1/2 x .120 Tapered pin fastens metal track to thick steel members. Ideal for 1/4" and above base steel thicknesses.




PIN OVERVIEW

		DIMENSIONS	
		Available Diameters	Available Lengths
Straight Pins (Smooth Shank)		0.102"	3/4" : 1" : 1-1/4" : 1-1/2"
Straight Pins (Smooth Shank)		0.145 "	3/4" : 1"
Steel Pins		0.120 "	0.500" : 0.680" : 0.730"
Step Shank Pins		0.145" : 0.102"	1-1/4" : 1-1/2"
Stick-E Pins (Step Shank)		0.120" : 0.088 "	0.780"
Plywood to Steel Pins (Special Knurl Shank/ Rolled Point)		0.102"	1-3/8"

JAM-FREE C5 PIN STRIPS

- 100% smooth rolled point pins for hard concrete
- 100% flame hardened points are virtually unbreakable



Straight .102" Pins

Cat. No.	Shank Dia.	Length	Min. Embed.	Knurl/Spiral	Plate	Box	Ctn.	Typical Applications
55310	0.102	3/4"	3/4"	-	Zinc	800	4000	Metal track to concrete
55312	0.102	1"	1"	-	Zinc	800	4000	Light gauge metal track to concrete
55314	0.102	1-1/4"	1-1/4"	-	Zinc	800	4000	Fixture to concrete or block
55316	0.102	1-1/2"	1-1/2"	-	Zinc	800	4000	Fixture to concrete or block

Straight .145" Pins

Cat. No.	Shank Dia.	Length	Min. Embed.	Knurl/Spiral	Plate	Box	Ctn.	Typical Applications
55318	0.145	3/4"	3/4"	-	Zinc	800	4000	Metal track to concrete
55320	0.145	1"	1"	-	Zinc	800	4000	Light gauge metal track to concrete, 1/4" & 3/8" plywood to concrete/block, rubber membrane to concrete or block

Structural Pins for Concrete and Steel

Cat. No.	Shank Dia.	Step Dia.	Length	Min. Embed.	Knurl/Spiral	Plate	Box	Ctn.	Typical Applications
55322	0.145	0.102	1-1/4"	1-1/4"	-	Zinc	800	4000	Fixture to concrete or block
55324	0.145	0.102	1-1/2"	1-1/2"	-	Zinc	800	4000	Fixture to concrete or block
55336	0.145	0.120	1"	7/8"	K	Zinc	800	4000	1/2" & 5/8" plywood to steel
55338	0.145	0.120	1-1/4"	1"	K	Zinc	800	4000	3/4" plywood to steel, 1" furring strip to steel

Specialty Tapered Short Pins

Cat. No.	Shank Dia.	Step Dia.	Length	Min. Embed.	Knurl/Spiral	Plate	Box	Ctn.	Typical Applications
55325	0.120	-	.500	1/2"	-	Zinc	800	4000	Metal track to thick steel
55326	0.120	0.102	.500	1/2"	K	Zinc	800	4000	Metal track to steel
55328	0.120	0.102	.680	5/8"	K	Zinc	800	4000	Metal track to steel or concrete
55330	0.120	0.102	.730	5/8"	K	Zinc	800	4000	1/4" plywood to steel or hard concrete
55342	0.102	0.0-88	.780	?	K	Zinc	800	4000	Steel, stud, strut precast concrete, block and steel

Specialty Spiral Knurled Pin

Cat. No.	Shank Dia.	Length	Min. Embed.	Knurl/Spiral	Plate	Box	Ctn.	Typical Applications
55340	0.102	1-3/8"	1-3/8"	K / S	Zinc	1000	5000	Plywood or Denz-Glass to steel stud

SUITABLE BASE MATERIALS

Concrete	High Strength Concrete / Precast Concrete	Lightweight Concrete	Lightweight Concrete On Metal Deck	Grouted Concrete Masonry	Hollow Concrete Masonry	Brick Masonry	Plywood to Lt. Gauge Steel	A36/A572 Steel	Stick-E Accessories	Code Recognition
•		•	•	•	•	•			•	ICC-ES ESR-3275 LARR-25920
•	•	•	•	•	•			•		ICC-ES ESR-3275 LARR-25920
										ICC-ES ESR-3275 LARR-25920
•	•			•	•					ICC-ES ESR-3275 LARR-25920
•	•	•	•	•	•	•			•	
							•		Denz-Glass Washer	

Stick-E Accessories Fit the C5 Tool Perfectly!

Accessories for specific industry applications in concrete & masonry. Pins are plated or coated for a minimum level of corrosion resistance. Plastic collation breaks completely free of pin during installation.



Stick-E Accessories			
Cat. No.	Description	Box	Ctn.
55064	Mini Conduit Clip 1/2"	100	1000
55066	Mini Conduit Clip 3/4"	100	1000
55068	Mini Conduit Clip 1"	100	1000
55076	Cable Tie Donut	100	1000
55059	Conduit Clip 1/2"	100	1000
55061	Conduit Clip 3/4"	100	1000
55063	Conduit Clip 1"	100	1000
55054	3/8" BX Clips	100	1000
55094	Bridal Ring 1-1/4"	100	1000
55095	Bridal Ring 1-1/2"	100	1000
55096	Bridal Ring 2"	100	1000
55062	Strap Washer 1/2" Diameter	100	1000
55050	Rod Hanger 1/4"	100	1000
55052	Rod Hanger 3/8"	100	1000
55070	Rebar Basket Clip; 0#3 & #4 Bar	100	1000
55092	Right Angle Clip, Wire Hole 0.278" <i>Tie Wire Not Included</i>	100	1000
55042	Insulation Washer 1-7/16"	100	1000
55040	Lathing Washer 1" with Holes	100	1000
55043	SS Sealing Washer 3/4"	100	100
55157	Denz-Tight Pin Washer	100	1000



Rebar Basket Clip



Insulation Washer



Conduit Clip



3/8" BX Clips



Lathing Washer



SS Sealing Washer



Denz-Tight Pin Washer



Accessories			
Cat. No.	Description	Box	Ctn.
56347	C5 Pole Tool Accessory Kit (C5 not included)	1	1
56348	C5 Pole Tool 3' Extension	1	1
55583	Battery	1	1
55618	Charger Base	1	1
55619	110v Adapter Cord	1	1
55302	Fuel Cell	20	80
55301	Fuell Cell Large Box	100	-
55342	Accessory DT Magazine	1	1
55344	Accessory ST Magazine	1	1
55346	Accessory LT Magazine	1	1

Reaching Heights with the New C5 Pole Tool


No more lifts. No more ladders. Shoot straight from the floor to the ceiling with the Trak-It® C5 Pole Tool.

Allows 8' of reach, with an additional 3' section available for higher jobs, the pole tool makes shooting overhead a breeze.

- Easy disassembly for convenient storage
- Versatile tool trigger design: rubber over molded handle and grip rotates 360° for accessing tight areas
- Uniquely designed tool cradle keep C5 tool secure with a locking strap

C5 FUEL CELL

- One piece—no valve assembly required
- Improved shelf life - up to 2 years
- Shoots down to -10° F
- Lean mix for high heat and humidity performance
- Free fuel cell in every box of pins



Mini Conduit Clip



Right Angle Clip



Bridal Ring



Strap Washer



Square Washer



Rod Hanger



Well-balanced, rigidly constructed Pole Tool has 8' reach, with a 3' available section for higher jobs.



800 pins per fuel cell, 4500 pins per charge



Magazines are quickly removable by lever to remove pins jams or to change of magazines. 2 different magazines available. Short Track 22 pin capacity 1/2" to 1-1/2" pins up to .145" diameter or DT track 2-1/2" deep track 42 pin capacity.



POWERS FASTENERS BRANCH INFORMATION NATION-WIDE CUSTOMER SERVICE: 1-800-524-3244

ALABAMA + ATLANTA	6115-C Jimmy Carter Blvd. Norcross, GA 30071	770-246-1710
BOSTON	2 Powers Lane Brewster, NY 10509	800-524-3244 877-871-1965
CHARLOTTE	349 L West Tremont Avenue Charlotte, NC 28203	704-375-5012
CHICAGO	2472 Wisconsin Avenue Downers Grove, IL 60515	630-960-3156
DALLAS	1300 I-35 North, Suite #118 Carrollton, TX 75006	972-446-5985
DENVER	700 West Mississippi Ave. Unit B-1 Denver, CO 80223	303-922-9202
DETROIT	21600 Wyoming Avenue Oak Park, MI 48237	248-543-8600 248-543-8601
FLORIDA	2412 Lynx Lane Orlando, FL 32804	813-626-4500 813-626-4545










HOUSTON	13833 North Promenade Suite 100 Stafford, TX 77477	281-491-0351 281-491-0367
INDIANAPOLIS	15290 Stony Creek Way Noblesville, IN 46060	317-773-1668 317-773-1690
LOS ANGELES	2761 Dow Avenue Tustin, CA 92780	714-731-2500
MARYLAND	3137-B Pennsy Drive Landover, MD 20785	301-773-1722
MILWAUKEE	1650 Miller Parkway Milwaukee, WI 53214	414-645-8821
MINNEAPOLIS	351 Wilson Street, NE Minneapolis, MN 55413	612-644-3047
MISSOURI	3225 Harvester Road Kansas City, KS 66115	816-472-5033 816-472-5040
NASHVILLE	221 Blanton Avenue Nashville, TN 37210	615-248-2667
NEW ORLEANS	102 Sampson Street Houston, TX 77003	713-228-1524 713-228-1528

NEW YORK + PHILADELPHIA	2 Powers Lane Brewster NY 10509	800-524-3244 877-871-1965
PHOENIX	3602 E. Southern Avenue Suite 5, Phoenix, AZ 85040	602-431-8024
PORTLAND	18609 72nd Avenue South Kent, WA 98032-1082	425-251-0312
ROCHESTER	245 Summit Point Drive Suite 2A Rochester, NY 14467	585-334-1423
SALT LAKE CITY	3120 W. California Avenue Suite E Salt Lake City, UT 84104	801-466-9428
SAN FRANCISCO	28970 Hopkins Street Suite D Hayward, CA 94545	510-293-1500
SEATTLE	18609 72nd Avenue South Kent, WA 98032-1082	425-251-0312

DEWALT LOCATIONS

ALABAMA		Birmingham 205-942-0538 Mobile 251-602-1000
ALASKA		Anchorage 907-561-7181
ARKANSAS		Little Rock 501-372-3040
ARIZONA		Phoenix 602-437-1200
CALIFORNIA		San Francisco 510-783-3959
		San Diego 858-279-2011
		Anaheim 714-414-0369
		Sacramento 916-344-3520
		Ontario 909-930-1437
COLORADO		Denver 303-922-8325
CONNECTICUT		Hartford 860-563-5800
FLORIDA		Ft. Lauderdale 954-321-6635
		Tampa 813-884-0434
		Jacksonville 904-781-2253
		Orlando 407-657-0474
		W. Palm Beach 561-689-3247
GEORGIA		Atlanta 770-246-1710
HAWAII		Honolulu 808-842-9925
IOWA		Des Moines 515-270-1340
ILLINOIS		Chicago South 708-614-1596
		Chicago North 630-521-1097
INDIANA		Indianapolis 317-243-8308
KANSAS		Kansas City 913-495-4330
		Wichita 316-943-1271
KENTUCKY		Louisville 502-380-3748

LOUISIANA		New Orleans 504-832-2187
		Baton Rouge 225-296-3191
		Shreveport 318-688-1553
MARYLAND		Baltimore 410-536-0722
		Capital Heights 301-333-0865
MASSACHUSETTS		Boston 781-329-3407
MICHIGAN		Grand Rapids 616-261-0425
		Detroit 248-597-5000
MINNESOTA		Minneapolis 952-884-9191
MISSOURI		St Louis 314-997-9100
NEVADA		Las Vegas 702-889-6025
NEW JERSEY		Elmwood Park 201-475-3524
NEW MEXICO		Albuquerque 505-884-1002
NEW YORK		Buffalo 716-884-6220
		Queens 718-335-1042
		Rochester 585-334-7071
		Long Island 631-952-2008
		Albany 518-785-1867
		Charlotte 704-392-0245
NORTH CAROLINA		Greensboro 336-852-1300
		Raleigh 919-878-0357
		Cleveland 440-842-9100
OHIO		Cincinnati 513-772-3111
		Columbus 614-895-3112
		Toledo 419-867-8561
OKLAHOMA		Oklahoma City 405-634-8403
		Tulsa 918-249-8641

OREGON		Portland 503-255-6556
PENNSYLVANIA		Philadelphia 215-271-5500
		Pittsburgh 412-642-0204
		Allentown 610-435-9544
		York 717-755-3441
SOUTH CAROLINA		Charleston 843-745-9197
		Greenville 864-299-8662
TENNESSEE		Memphis 901-384-8100
		Nashville 615-242-1633
		Knoxville 865-688-0921
TEXAS		Dallas 972-446-2996
		Houston 713-466-1194
		San Antonio 210-732-1221
		Fort Worth 817-831-3828
		El Paso 915-778-9769
		Mcallen 956-661-1122
		Austin 512-382-3971
UTAH		Salt Lake City 801-486-5828
VIRGINIA		Virginia Beach 757-363-0091
WASHINGTON		Seattle 206-763-2010
		Spokane 509-535-9252
WEST VIRGINIA		Charleston 304-343-0289
WISCONSIN		Milwaukee 414-645-4285

 = Field Service Coordinator Location

Note: The information and data contained within this documentation was current as of October 1, 2015. The information is for marketing purposes only and is subject to change and updates as needed. Powers Fasteners, Inc. reserves the right to change designs and specifications without notice or liability for such changes. Please contact Powers Fasteners for the most current and up to date available information or refer to our website at www.powers.com

Powers Fasteners 701 E. Joppa Road, Towson, MD 21286 P: (800) 524-3244 F:(877) 871-1965 www.powers.com
©2014 Powers Fasteners, Inc. Cat. No. 49093 10/15 **N456298**

THE CONCRETE SOLUTION™

