



ASTM DATA SHEET



POSI-GRIP®, POSI-SET®, POSI-FIT®

POSI-GRIP®, POSI-SET®, POSI-FIT® are registered trade names of Star Sales & Distributing Corp.

POSI-GRIP® Screws

These screws are internationally recognized as a premier quality fastener and are manufactured under strict guidelines in an ISO 9002 approved factory. Our sharp point screws meet and exceed ASTM C-1002-93 Standards and our self-drilling screws meet and exceed ASTM C-954-86 and ASTM 1513-13 Standards.

Markets: Professional Drywall, General Construction, HVAC & Electrical

Application: For efficiently and cost effectively attaching a wide variety of steel, steel stud, metal & wood decking, standard lumber, cement board & Exterior Insulation Finish Systems (EIFS).

Product: POSI-GRIP® Screws: 250 different combinations of size and finish, including: all purpose, hi-thread, deck screws, acoustical lags, trim screws, ceramic coated, stainless steel, concrete screws, and many varieties of specialty self-drilling screws.

Solution: POSI-GRIP® products provide the end user with: faster work speed, improved cost efficiency and high-level performance and quality.

POSI-SET® Screws

These Standard grade drywall, concrete & tek screws provide our customers with a consistent quality product at a competitive price that they need to compete in today's marketplace.

POSI-FIT® Nails

These superior quality common nails & collated nails provide our customers with a wide variety of framing, roofing, finishing & stapling options that fit most brand name pneumatic tools.



* SCREW MATERIAL SHEET

SELF DRILLING SCREWS

PULL OUT (LBS.) SHEAR (LBS.) BELOW *These screws are internationally recognized as a premier quality fastener and are manufactured under strict guidelines in an ISO 9002 approved factory. Our sharp point screws meet and exceed ASTM C-1002-93 Standards and our self-drilling screws meet and exceed C-954-86 Standards, which also includes ASTM C1513-13.*

METAL GAUGE 1(LB) THICKNESS

Diameter	Drill Point	Min Torsional Strength (LB)		22	20	18	16	14	12	3/16"	1/4"	3/8"	1/2"	
#6.00	40	0.4	122	169	252	408	573	873	1107					
#6-20	#2	24		464	705	755	1130	1188						
#0.10	що.	42	105	216	315	490	608	1020	1215					
#8-18	#2	42		638	910	1093	1314	1460	1470					
#10.1 <i>C</i>	"0	61			384	545	720	1038	1204					
#10-16	#10-16 #3 61	бІ		641	860	1300	1591	1644	1755					
#10.14	14	W10.14 W0	00			313	471	734	1056	1241	2995			
#12-14	#3	92			781	1158	1655	2270						
#10.04	,,,,	00				466	695	983	1530	3114	3684			
#12-24	#5	92									2666		3320	
W3 4 3 4	"12	150	342	428	562	805	1149							
#14-14	#1	150												
#2.4.2.4	#14-14 #3	150			309	414	800	1090	1523	4064				
#14-14		150			936	1450	2113	2600	2666					
#1.4.0C		150			315	404	787	1050	1482	3955	4745			
#14-20	#4	150									2771		2949	

DRYWALL SCREWS

PULL OUT (LBS.) SHEAR (LBS.) BELOW

These screws are offered only as a guide and are not guaranteed in any way. A proper safety factor must be applied to these values for design purposes.

			METAL GAUGE 1(LB) THICKNESS					
Diameter	Drill Point	Min Torsional Strength (LB)	25	22	20	2x4 Red- wood	3/4" Particle Board	2x4 Fir
Fine	#2	24	156	230	328			
Thread	#2	24	429	631	649			
Fine	"0	40	163	244	336			
Thread	#2	42	431	656	657			
Fine	"0	6.1	108	193	280			
Thread	#3	61	384	626	878			
Fine	Fine	00	172		395			
Thread	#3	92	374		860			





FINE THREAD SHARP

Multi-purpose screw used for fastening drywall to 20-25 gauge metal studs. Phil. Recess.

- · Twin Lead point for increased holding and faster penetration
- · Available in Black Phosphate or Zinc Coating



Size	Part No.	Qty/Box	Approx. Wt/Box
6 x 1"	SS100X	10m	29 lbs
6 x 1-1/8"	SS118X	10m	34 lbs
6 x 1-1/4"	SS114X	8m	30 lbs
6 x 1-5/8"	SS158X	5m	22 lbs
6 x 2"	SS200X	3.5m	19 lbs
6 x 2-1/4"	SS214	3m	22 lbs
8 x 2-1/2"	SS212X	2.5m	22 lbs
8 x 3"	SS300X	2m	21 lbs
10 x 3-1/2"	SS312	1.5m	27 lbs
10 x 4"	SS400	1m	32 lbs
10 x 5"	SS500	1m	27 lbs
10 x 6"	SS600	1m	29 lbs

COARSE THREAD

The Most complete line of coarse thread drywall screws. Used in many applications, wood to wood, drywall to wood, cabinet installation, and outdoor wood decks. Phil. Recess.



Size	Part No.	Qty/Box	Approx. Wt/Box
6 x 1"	C100BX	10m	30 lbs
6 x 1-1/8"	C118BX	10m	34 lbs
6 x 1-1/4"	C114BX	8m	28 lbs
6 x 1-5/8"	C158BX	5m	21 lbs
6 x 2"	C200BX	3.5m	18 lbs
6 x 2-1/4"	C214	3m	20 lbs
8 x 2-1/2"	C212BX	2.5m	22 lbs
8 x 3"	C300BX	2m	21 lbs
10 x 3-1/2"	C312B	1.5m	27 lbs
10 x 4"	C400B	1m	20 lbs
10 x 5"	C500B	1m	26 lbs
10 x 6"	C600B	1m	31 lbs



Size	Part No.	Qty/Box	Approx. Wt/Box				
	Sq Bugle Head Coarse						
6 x 1-5/8"	CS158ECT	5m	25 lbs				
7 x 2"	CS200ECT	3.5m	23 lbs				
8 x 2-1/2"	CS212ECT	2.5m	23 lbs				
8 x3"	CS300ECT	2m	22 lbs				
	Ph Bugle Head Self-Drill						
6 x 1-1/4"	SD114GR3	8m	33 lbs				
6 x 1-5/8"	SD158ECT	5m	26 lbs				
6 x 1-7/8"	SD178ECT	3m	32 lbs				
8 x 2-5/8"	SD258ECT	2.5m	24 lbs				
8 x 3"	SD300ECT	2m	27 lbs				
10 x 3-1/2"	SD312ECT	1m	24 lbs				
10 x 4"	SD400ECT	1m	22 lbs				
10 x 5"	SD500ECT	0.5m	20 lbs				
10 x 6"	SD600ECT	0.5m	18 lbs				
HWH W/ Neoprene Washer							
10 x 1-1/2"	WHD10112ECT	4m	31 lbs				
	Thin Wafe	r Metal w/Wing	js				
10 x 1-7/16"	1024176ECT	4m	38 lbs				

PAN FRAMING SHARP

- · For attaching steel studs to steel track up to 20 gauge.
- · Serrations under head to prevent Spinning


5	
H	
F	
8	

Size	Part No.	Qty/Box	Approx. Wt/Box
7 x 7/16"	SS7716XB	15m	38 lbs

PAN FRAMING SELF-DRILL

- · For attaching steel track to 14-20 gauge metal studs.
- · Also available in Black Phosphate.









BUGLE HEAD SELF-DRILL

Used for fastening drywall to 14-20 gauge metal studs. POSI-GRIP drill point provides easier cutting and faster penetration. Also available in Black Phosphate.

Size	Part No.	Qty/Box	Approx. Wt/Box
6 x 1"	SD100Z	10m	29 lbs
6 x 1-1/8"	SD118Z	10m	35 lbs
6 x 1-1/4"	SD114Z	8m	33 lbs
6 x 1-5/8"	SD158Z	5m	24 lbs
6 x 1-7/8"	SD178Z	4m	23 lbs
6 x 2-3/8"	SD238Z	3m	28 lbs
8 x 2-5/8"	SD258Z	2.5m	25 lbs
8 x 3"	SD300Z	2m	23 lbs
10 x 3-1/2"	SD312Z	1m	18 lbs
10 x 4"	SD400Z	0.75m	15 lbs



For attaching wood trim and base to metal studs; Square Drive.

Size	Part No.	Qty/Box	Approx. Wt/Box
6 x 1"	TS100	10m	29 lbs
6 x 1-5/8"	TS158	5m	19 lbs
6 x 2-1/4"	TS214	3m	16 lbs
8 x 3"	TS300	2m	21 lbs



TRIM HEAD SELF-DRILL

Used for attaching wood trim or base to 14-20 gauge metal studs. Zinc coating. Square Drive.

Size	Part No.	Qty/Box	Approx. Wt/Box
6 x 1"	TSD100Z	10m	30 lbs
7 x 1-5/8"	TSD158Z	5m	30 lbs
7 x 2-1/4"	TSD214Z	3m	27 lbs
8 x 3"	TSD300Z	2m	23 lbs



LAMINATING SCREW

A temporary fastener for attaching drywall to drywall. Phil. Recess.

Size	Part No.	Qty/Box	Approx. Wt/Box
10 x 1/2"	L112	5m	38 lbs



WAFER LATH SHARP

For attaching metal lath or k-lath to metal studs 20 to 25 gauge. Zinc finish, phil. Recess. 9/16" also available in Black Phosphate

Size	Part No.	Qty/Box	Approx. Wt/Box
8 x 9/16"	W916Z	10m	37 lbs
8 x 1/2"	W012Z	10m	34 lbs
8 x 3/4"	W034Z	8m	31 lbs
8 x 1"	W100Z	5m	23 lbs
8 x 1-1/4"	W114Z	3.5m	31 lbs
8 x 1-5/8"	W158Z	4m	32 lbs
8 x 2"	W200Z	2.5m	22 lbs
8 x 2-1/2"	W212Z	2.5m	27 lbs
8 x 3"	W300Z	2m	25 lbs

WAFER LATH SELF-DRILL

For attaching metal lath to heavy gauge (14-20) metal studs. Zinc plated, Phil drive.

*			
Size	Part No.	Qty/Box	Approx. Wt/Box
8 x 1/2"	WD012Z	10m	37 lbs
8 x 9/16"	WD916Z	10m	37 lbs
8 x 3/4"	WD034Z	8m	33 lbs
8 x 1"	WD100Z	5m	26 lbs
8 x 1-1/4"	WD114Z	5m	32 lbs
8 x 1-5/8"	WD158Z	4m	31 lbs
8 x 1-7/8"	WD178Z	2.5m	31 lbs
8 x 2-1/2"	WD212Z	2.5m	26 lbs
8 x 3"	WD300Z	2m	25 lbs
10 x 3/4"	WD10034Z	7m	40 lbs

CEMENT BOARD SCREWS

For attaching cement board to 14-20 gauge metal studs. Special exterior coating provides over 500 salt spray hours.

Size	Part No.	Qty/Box	Approx. Wt/Box		
	Self-Drill				
8 x 1-1/4"	DR114	5m	38 lbs		
8 x 1-5/8"	DR158	4m	27 lbs		
8 x 2-1/4"	DR214	2m	22 lbs		
	S	harp Point			
8 x 1-1/4"	SR114	5m	34 lbs		
8 x 1-5/8"	SR158	4m	23 lbs		
8 x 2-1/4"	SR214	2m	20 lbs		











HEX WASHER HEAD SELF-DRILL

Attaches back up plates, fixtures, door frames, and lathers channel to structural studs, and metal decks up to 12 gauge. Zinc finish.

Screw Diameter	Min. Tension	Min. Tortional	Avg. Shear	Avg. Pull out
6	1150	25	840	670
8	1575 2100 2350	42 61 65	1055 1496	705 786
12	2800 3250	92 100	2015	842
14	3850 4275	150 168	2585	910



Specifications apply to most STAR and POSI-GRIP screws Tested in .16 metal.

	1210				rested in . i
Size	Part No.	Qty/ Box	Approx. Wt/Box	Point No.	Max. Drill Cap.
6 x 1/2"	HD6012	15m	36 lbs	2	0.104
6 x 3/4"	HD6034	10m	31 lbs	2	0.104
8 x 1/2"	HD8012	10m	29 lbs	2	0.104
8 x 5/8"	HD8058	10m	37 lbs	2	0.104
8 x 3/4"	HD8034	10m	40 lbs	2	0.104
8 x 1"	HD8100	7.5m	37 lbs	2	0.104
8 x 1-1/4"	HD8114	5m	32 lbs	2	0.104
8 x 1-1/2"	HD8112	5m	35 lbs	2	0.104
8 x 2"	HD8200	3m	28 lbs	2	0.104
10 x 1/2"	HD10012	10m	46 lbs	2	0.110
10 x 5/8"	HD10058	7.5m	41 lbs	3	0.179
10 x 3/4"	HD10034	7m	41 lbs	3	0.179
10 x 3/4"	HD10034S	5m	36 lbs	3	0.179
10 x 1"	HD10100	5m	35 lbs	3	0.179
10 x 1-1/4"	HD10114	3.5m	31 lbs	3	0.179
10 x 1-1/2"	HD10112	3m	29 lbs	3	0.179
10 x 1-1/2"	HD10112BT	3m	28 lbs	3	0.179
10 x 2"	HD10200	2m	24 lbs	3	0.179
10 x 3"	HD10300	1.5m	23 lbs	3	0.179
12 x 3/4"	HD12034	5m	37 lbs	3	0.220
12 x 1"	HD12100	3.5m	32 lbs	3	0.220
12 x 1-1/4"	HD12114	3.5m	38 lbs	3	0.220
12 x 1-1/2"	HD12112	2.5m	32 lbs	3	0.220
12 x 2"	HD12200	2m	33 lbs	3	0.220
12 x 2-1/2"	HD12212	1m	18 lbs	3	0.220
12 x 3"	HD12300	1m	23 lbs	3	0.220
14 x 3/4"	HD14034	3.5m	40 lbs	3	0.250
14 x 1"	HD14100	2.5m	35 lbs	3	0.250
14 x 1-1/4"	HD14114	2m	33 lbs	3	0.250
14 x 1-1/2"	HD14112	2m	38 lbs	3	0.250
14 x 2"	HD14200	1.5m	33 lbs	3	0.250
14 x 2-1/2"	HD14212	1m	28 lbs	3	0.250
14 x 3"	HD14300	1m	33 lbs	3	0.250
14 x 4"	HD14400	0.5m	19 lbs	3	0.250
14 x 5"	HD14500	0.5m	27 lbs	3	0.250

SELF-PIERCING SLOTTED HEX WASHER HEAD NEEDLE POINT

Used in light metal assembly such as electrical outlets, framing, and various other sheet metal applications. Slotted head. Zinc plated.

• Extra sharp point for faster penetration

			/
Size	Part No.	Qty/Box	Approx. Wt/Box
8 x 1/2"	HSS8012	10m	28 lbs
8 x 3/4"	HSS8034	10m	41 lbs
8 x 1"	HSS8100	8m	37 lbs
8 x 1-1/4"	HSS8114	6m	34 lbs
8 x 1-1/2"	HSS8112	5m	33 lbs
8 x 2"	HSS8200	3m	25 lbs
10 x 1/2"	HSS10012	10m	44 lbs
10 x 3/4"	HSS10034	6m	32 lbs
10 x 1"	HSS10100	5m	34 lbs
10 x 1-1/2"	HSS10112	3m	26 lbs
10 x 2"	HSS10200	2m	24 lbs

PAN HEAD SELF-DRILL

Attaching steel strapping (bridging) or furring channel to steel joist.

· Zinc finish. Phillips recess.

Size	Part No.	Qty/ Box	Approx. Wt/Box	Point No.	Max. Drill Cap.
6 x 3/8"	PD6038	10m	16 lbs	2	0.104
6 x 1/2"	PD6012	15m	31 lbs	2	0.104
6 x 5/8"	PD6058	10m	24 lbs	2	0.104
6 x 3/4"	PD6034	10m	29 lbs	2	0.104
6 x 1"	PD6100	10m	35 lbs	2	0.104
8 x 1/2"	PD8012	10m	31 lbs	2	0.104
8 x 5/8"	PD8058	10m	39 lbs	2	0.104
8 x 3/4"	PD8034	10m	40 lbs	2	0.104
8 x 1"	PD8100	7.5m	37 lbs	2	0.104
8 x 1-1/4"	PD8114	5m	33 lbs	2	0.104
8 x 1-1/2"	PD8112	5m	36 lbs	2	0.104
8 x 2"	PD8200	3m	28 lbs	2	0.104
10 x 1/2"	PD10012	10m	47 lbs	2	0.110
10 x 5/8"	PD10058	8m	39 lbs	3	0.179
10 x 5/8"	PD10058FH	7.5m	39 lbs	3	0.179
10 x 3/4"	PD10034	7.5m	44 lbs	3	0.179
10 x 1"	PD10100	5m	38 lbs	3	0.179
10 x 1-1/4"	PD10114	3.5m	32 lbs	3	0.179
10 x 1-1/2"	PD10112	3m	29 lbs	3	0.179





HEX HEAD SELF-DRILL

Use a #4 point for metal to steel applications up to 3/8" thick. #5 point for metal to steel up to 1/2" thick.

Size	Part No.	Qty/ Box	Approx. Wt/Box	Max. Drill Cap.
12-24 x 7/8"	1224078	5m	43 lbs	0.375
12-24 x 1-1/4"	1224114	4m	43 lbs	0.500
12-24 x 1-1/2"	1224112	2m	28 lbs	0.500
12-24 x 2"	1224200	2m	35 lbs	0.500



HI-LO SCREWS

For wood and light gauge metal

Size	Part No.	Qty/Box	Approx. Wt/Box
6 x 1-1/4"	HL114	8m	30 lbs
6 x 1-5/8"	HL158	5m	22 lbs
6 x 2"	HL200	3.5m	19 lbs
6 x 2-1/4"	HL214	3m	22 lbs
8 x 2-1/2"	HL212	2.5m	23 lbs
8 x 3"	HL300	2m	22 lbs




PHIL FLAT SELF-DRILL WITH WINGS

For attaching wood to heavy gauge metal.

- · Zinc plated #3 Phil. Recess.
- · With shank slot and wings, #4 point.

Size	Part No.	Qty/ Box	Approx. Wt/Box	Max. Drill Cap.
12-24 x 2"	FD12200	2m	31 lbs	0.375
12-24 x 2-1/2"	FD12212	1.5m	28 lbs	0.375
14-20 x 2-3/4"	FD14234	1m	26 lbs	0.375
14-20 x 3"	FD14300	1m	30 lbs	0.375
14-20 x 3-1/4"	FD14314	0.9m	30 lbs	0.375
14-20 x 3-1/2"	FD14312	0.5m	19 lbs	0.375
14-20 x 3-3/4"	FD14334	0.5m	20 lbs	0.375



COLLATED



Size	Part No.	Qty/Box	Approx. Wt/Box
6 x 1-1/4"	C114BCOL	8m	31 lbs
6 x 1-1/4"	SD114ZCOL	10m	35 lbs
6 x 1-1/4"	SD114GR3COL	10m	35 lbs
6 x 1-7/8"	SD178ZCOL	8m	34 lbs
6 x 1-7/8"	SS114COL	10m	37 lbs
6 x 1-5/8"	SS158COL	10m	35 lbs
6 x 2"	SS200COL	10m	33 lbs

THIN WAFER PLYMETAL SELF-**DRILL WITH WINGS**

For attaching plywood to metal.

- · Wings bore out and relieve wood chips before breaking off at metal.
- · Wings prevent plywood from climbing up
- · Zinc plated #3 point. #2 Phil. Recess.

Size	Part No.		Approx. Wt/Box	Max. Drill Cap.
10-24 x 1-7/16"	1024176	4m	36 lbs	0.220



THIN WAFER PLYMETAL **SELF-DRILL**

For attaching plywood to metal with .220 max. thickness. Good for flooring and trailer bed applications.

· Zinc plated #3 point. #2 Phil. Recess.



Size	Part No.	Qty/Box	Approx. Wt/Box	Max. Drill Cap.
10-24 x 1"	1024100	5m	33 lbs	0.220
10-24 x 1-1/4"	1024114	3.5m	29 lbs	0.220
10-24 x 1-1/2"	1024112	3m	30 lbs	0.220



* ACOUSTICAL FASTENERS

PRE-TIE WIRE

The below part numbers represent 12 gauge wire.

and 8 gau	ge wire are available upon red	quest.	-
Part No.	Description	Bundle Size	
PT412	4' Pre-Tied 1-1/4" Pin & Angle Clip	100	
DTE10	ELD T. 111/4/10. 0 4 1 01.	100	

Part No.	Description	Size
PT412	4' Pre-Tied 1-1/4" Pin & Angle Clip	100
PT512	5' Pre-Tied 1-1/4" Pin & Angle Clip	100
PT612	6' Pre-Tied 1-1/4" Pin & Angle Clip	100
PT812	8' Pre-Tied 1-1/4" Pin & Angle Clip	100
PT1012	10' Pre-Tied 1-1/4" Pin & Angle Clip	100
PT1212	12' Pre-Tied 1-1/4" Pin & Angle Clip	100

SAMMYS X-PRESS IT TOOL **& ACCESSORIES**

Part No.	Description	Case Qty
8194910	Universal X-Press It Tool	1
8152910	25/64" Drill Bit	1
8113910	25/64" Drill Bit	1
8114910	#14 SW Red Nut Driver	1
8150922	XP20 Xpress for 3/8" Rod	125
8008957	GST 20 2" Wood Sammy 3/8" Rod	125
8022925	3/8" x 2" Sidewinder for Wood	125
8038957	1" Steel Sammy 3/8" Rod W/ Nut	125

ACOUSTICAL EYE LAG SCREW

For hanging tie wire to wood beams for acoustical ceiling and other applications.



For hanging tie wire to metal beams for acoustical ceiling and other applications.



Size	Part No.	Qty/Box	Approx. Wt/Box
1/4" x 3"	AL-14-3	1m	26 lbs
1/4" x 4"	AL-14-4	1m	29 lbs
1/4" x 5"	AL-14-5	1m	35 lbs
1/4" x 3"	AL-14-3C	100/box	13 lbs
1/4" x 4"	AL-14-4C	100/box	15 lbs
1/4" x 5"	AL-14-5C	100/box	17 lbs
1/4" x 2"	LAG SD2	1m	26 lbs
1/4" x 3"	LAG SD3	1m	29 lbs
1/4" x 2"	LAG SD2C	100/box	13 lbs
1/4" x 3"	LAG SD2C	100/box	15 lbs

VIPER4 EXTENSION POLES

Part No.	Description
V4-6	6' Pole
V4-8	8' Pole
V4-EXT	3' Extension



LIGHT DUTY ANCHORS

ZAMAC NAILIN ANCHORS

The Zamac Nailin is a tamper-proof nail drive anchor. It is used for concrete, block, brick or stone.

Size	Part No.	Drill Diameter	Box Qty.	Case Qty.
1/4" x 1"	2808	1/4"	100	500
1/4" x 1-1/4"	2814	1/4"	100	500
1/4" x 1-1/2"	2820	1/4"	100	500
1/4" x 1-1/2"	2826	1/4"	100	500



TAPCONS/TAPPERS

Blue Climaseal coating for corrosion protection.

HWH	PFH	Screw Size	Box Qty.	Case Qty.
2702SD	2742SD	3/16" x 1-3/4"	100	500
2704SD	2744SD	3/16" x 2-1/4"	100	500
2706SD	2746SD	3/16" x 2-3/4"	100	500
2708SD	2748SD	3/16" x 3-1/4"	100	500
2720SD	2760SD	1/4" x 1-1/4"	100	500
2724SD	2764SD	1/4" x 2-1/4"	100	500
2728SD	2768SD	1/4" x 3-1/4"	100	500



POWER & GAS TOOLS

C5 TOOLS AND ACCESSORIES



	i	i
Part No.	Description	Qty/Bx
55142	C5 Gun	1
55583	C5 Battery	1
55618	C5 Charger Base	1
55619	C5 Charger Cord	1
55010	C5 Fuel Cell	1
55040	Stick E Lath Washer	100
55310	3/4" Pin .102 Shank (Metal Track to Concrete)	800
55312	1" Pin .102 Shank (Light Gauge Metal to Concrete)	800
55314	1-1/4" Pin .102 Shank (Fixture to Concrete Block)	800
55316	1-1/2" Pin .102 Shank (Fixture to Concrete Block)	800
55318	3/4" Pin .145 Shank (Metal Track to Concrete)	800
55320	1" Pin .145 Shank (Light Gauge Metal to Concrete)	800
55326	1/2" Pin .120 Shank (Metal Track to Steel)	800
55340	1-3/8" Pin .108 Shank (Plywood/Denz Glass to Steel Stud)	800

COBRA AND VIPER TOOLS AND ACCESSORIES



	/	
Part No.	Description	Qty/Bx
Cobra	.27 Caliber Strip Tool	1
Viper 4	.27 Caliber Strip Tool	1
1503K	1/2" Knurled Pin Zinc	100
1506	3/4" Track Pin Zinc	100
1506B	3/4" Track Pin Zinc Bulk	1000
1510	1-1/4" Drive Pin	100
1510SD	1-1/4" Washered Pin	100
SDC125C	Angle Clip with 1-1/4" Pin	100
3RS25	Power Level 3 .25 Cal. Green Strip	100
4RS25	Power Level 4 .25 Cal. Yellow Strip	100
5RS25	Power Level 5 .25 Red Strip	100
3RS27	Power Level 3 .27 Cal. Green Strip	100
4RS27	Power Level 4 .27 Cal. Yellow Strip	100
5RS27	Power Level 5 .27 Red Strip	100

XT540 AND ACCESSORIES



Part No.	Description	Qty/Bx
XT540	XT540 Tool	1
SP58TH	5/8" Track to Steel	1
TE114	1-1/4" Track to Concrete	1
SP114	1-1/4" Track to Concrete	1

T3 MAG AND ACCESSORIES



Part No.	Description	Qty/Bx
T3 Mag	T3 Tool	1
T3012	1/2" Steel Pin W/ Fuel	1000
T3034B	3/4" Concrete Pin W/ Fuel	1000
T3100	1" Concrete Pin W/ Fuel	1000
T3FUEL	T3 Fuel Cell (2 Pack)	1
B0092	T3 Battery	1
B0022	T3 Battery Charger	1



POWER TOOLS

LASERS



Part No.	Description
DW079KI	Self Leveling Interior Rotary Laser – Combo Kit
DW0811	Self Leveling 360 Degree & Vertical Line
DW083K	Self Leveling 3-Beam Line Laser
DW088K	Self Leveling Line Laser (Horizontal & Vertical)
DW089K	Self-Leveling 3-Beam Line Laser
DW088KLG	Self Leveling Line Laser (Horizontal & Vertical) Green Laser
DW089KLG	Self-Leveling 3-Beam Line Green Laser

CORDLESS







Part No.	Description	
DCF885B	20 Volt Max 1/4" Impact Driver	
DCK262M2	20 Volt Max XR Lithium Ion Cordless Drywall Gun/Impact Driver Kit (2.0 ah)	
DCF620M2	20 Volt Li-On Drywall Gun 4.0ah	
DCK263D2	20 Volt Max Cordless Screwgun & Cut-out Tool Kit	

SAWZALL BLADES



Part No.	Description	
DW4802	6" 6 TPI Taper Back Bi-Metal Reciprocating Blade for Wood	
DW4808	6" 14 TPI Straight Back Bi-Metal Reciprocating Blade	
DW4809	8" 14 TPI Straight Back Bi-Metal Reciprocating Blade	
DW4811	6" 18 TPI Straight Back Bi-Metal Reciprocating Blade	

NUT SETTERS

Part No.	Description
MSHL5/16	5/16" x 2-9/16"
MSHS1/4	1/4" x 1-3/4"
MSHS5/16	5/16" x 1-3/4"
MSHS3/8	3/8" x 1-3/4"





CORDED



	The state of the s	
Part No.	Description	
D25213	1 D-Handle SDS Hammer	
DW252	4,000 rpm Lightweight VSR Drywall Scrugun	
DW255	5,300 rpm High Speed VSR Drywall Scrugun	
DW268	2,500 rpm VSR VERSA-CLUTCH™ Scrugun	
DW272	4,000 RPM VSR Scrugun	
DW660	Drywall Cutout Tool	
DWE304PK	10.0 Amp Reciprocating Saw Kit	

CHOPSAW

Ergonomically designed "D" handle provides a more comfortable hand position, reducing fatigue and increasing productivity.

Part No.	Description	
D28710	14" Chopsaw	
D28715	HD Chopsaw	
DWA8011	14" x 7/64" x 1" Chop Saw Wheel	
DW8003	14" x 3/32" x 1" Chop Saw Wheel	





CONCRETE SDS BITS



Part No.	Description	
DW5403	3/16" x 4-1/2" x 6-1/2" SDS+ Hammer Bit	
DW5416	1/4" x 2" x 4" SDS+ Hammer Bit	
DW5417	1/4" x 4" x 6" SDS+ Hammer Bit	
DW5424	5/16" x 4" x 6" SDS+ Hammer Bit	
DW5427	3/8" x 4" x 6" SDS+ Hammer Bit	

BIT TIPS

Part No.	Description	
250PB2	1" #2 PT Phillip Inset Bit	
250R1	1" #1 PT Square Insert Bit	
250R2	1" #2 PT Square Insert Bit	





FIRESTOP / CAULK / PAINT

SMOKE N SOUND SEALANT







STI has more UL Systems than Hilti and 3M combined. Quick turnaround for EJ's.

Part No.	Description	Per Case
SNS105W	Smoke N Sound Sealant 5 Gal. – White	Each
SNS120W	Smoke N Sound Sealant 20oz Sausage – White	12
SNS129W	Smoke N Sound Sealant 29oz Sausage – White	12

FIRESTOP







Part No.	Description	Per Case
LC120	LC Endothermic Firestop Sealant 20oz Sausage	12
LC129	LC Endothermic Firestop Sealant 29oz Sausage	12
ES100R	ES Elastomeric Firestop Sealant 10.1 oz - Red	12
ES105R	ES Elastomeric Firestop Sealant 5 Gal. – Red	Each
ES120R	ES Elastomeric Firestop Sealant 20 oz – Red	12
AS205R	Elastomeric Firestop Spray 5 Gal. Pail - Red	Each

CONSTRUCTION ADHESIVE

Part No.	Description	Per Case
DAP 27058	Construction Adhesive, Latex, 29 Oz, White	12



LATEX CAULK

Part No.	Description	Per Case
DAP 18152	10.1oz White Alex Plus Acrylic Latex Caulk with Silicone	12
DAP 18156	10.1oz Clear Alex Plus Acrylic Latex Caulk with Silicone	12



SPRAY ADHESIVE

Part No.	Description	Per Case
NAS 357	Spray Adhesive: 19.6oz	Each



SPRAY PAINT

Part No.	Description	
CRO 200	Upside Down Paint Clear	
CRO 246	Upside Down Paint Red	
CRO 247	Upside Down Paint Orange	
CRO 248	Upside Down Paint Green	
CRO 249	Upside Down Paint Pink	
CRO 252	Upside Down Paint Yellow	
CRO 254	Upside Down Paint Blue	



CHALK

Part No.	Description
64901	8oz Blue Chalk
64902	8oz Red Chalk
65101	5lb Blue Chalk
65102	5lb Red Chalk
2032160	5lb Black Chalk
DWHT47142	Chalk Line Wheel



CAULK GUNS





Part No.	Description	
NBC 111	Caulk Gun, 1/10 gal. 10:1 Thrus, w/Caulk Buddy	
NBC 125	Caulk Gun, 1-Qt. Hex Rod, 10:1 Thrus	

EXTENSION CORDS





Part No.	Description
C2316-100	16/3 100FT Round Extension Cord
C4312-100	12/3 100FT Round Extension Cord
C4314-050	14/3 50FT Round Extension Cord
C4314-100	14/3 100FT Round Extension Cord
1402-0034	12/3 GFCI Cord



★ SCAFFOLDS & STORAGE

SCAFFOLDS AND ACCESSORIES



Part No.	Description	Weight
SMP6	Steel-Pro Platform	164
SMP6U	Steel-Pro Upper Unit	110
SMPGR	Steel-Pro Guard Rail Set	92
SMPOR	Steel-Pro Outrigger – Set of 4	42
SMPORN	Steel-Pro Outrigger Only	6
SMP5C	Steel-Pro Caster Only	6

KNAACK





Part No.	Description	Weight
118-01	DataVault Mobile Digital Plan Station	742
118-M	DataVault Mobile	320
4824	Jobmaster Chest Box (28-1/4" H x 24" W x 48" L)	158
60	Jobmaster Chest Box (28-1/4" H x 24" W x 60" L)	190
79	Storagemaster Piano Box (49" H x 30" W x 48" L)	287
89	Storagemaster Piano Box (46" H x 30" W x 60" L)	337

FOLDING SCAFFOLD



Part No.	Description	Load Capacity
SU-4	4ft. Step-Up Workstand	500 lbs
SMP5C	5" Caster	N/A

STEP LADDERS

All Ladders are 1A rating

Part No.	Size	Reach Height	Load Capacity
202206	6'	10'	300 lbs
202208	8'	12'	300 lbs
202210	10'	14'	300 lbs



DRYWALL CART

Features:

- · Removable handle for easy storage.
- · Holds 23 sheets of wall board.
- 3600 lb. maximum load rating.
- 2-8" swivel casters 2-8" fixed casters 44"H X 44"L X 22"W
- Weighs 89 lbs

vveigits 09 lbs.			
Part No.	Description	Weight	
LDWD	Drywall Dolly	89	

LOCKS AND CHAIN

Sold by the foot

Part No.	Description
671412	5/16" Chain
5KA-A112	Keyed Alike Master Lock
5KA-A1248	Keyed Alike Master Lock
5KA-A383	Keyed Alike Master Lock





** PROTECTION

ZIPWALL







Part No.	Description
SLP2	Two 12' Aluminum, Spring-Loaded Poles W/ Parts (Heads, Plates, and GripDisk non-slip pads)
SLP6	Six 12' Aluminum, Spring-Loaded Poles W/ Parts (Heads, Plates, and GripDisk Non-Slip Pads)
AZ2	ZipWall Standard Zipper 2-Pack
4PL	4 SLP poles, a head, plate, tether, and Grip Disk for each pole, 2 Foam Rails, 2 T-Clip adaptors, 1 box of Standard Zippers, 1 Carry Bag

POLY





Part No.	Description	Rolls/ Pallet
P412100	4 mil 12' x 100' Clear Poly	64 Rolls
P420100	4 mil 20' x 100' Clear Poly	35 Rolls
P620100	6 mil 20' x 100' Clear Poly	30 Rolls
P620FR	6 mil 20' x 100' Flame Retardant Poly	30 Rolls
P79400	.7 mil 9' X 400' Clear Poly	99 Rolls
P791000	.7 mil 9 x 1000' Clear Poly	36 Rolls

TRASH CARTS

Part No.	Description
DUC1/2	1/2 Cu Yard Dump Cart
DUC34-R	1 Cu Yard Dump Cart
CAS10	10" Wheel for DUC1/2
1011-L2	4" Rubbermaid Swivel Caster



BROOM/SWEEP COMPOUND

Part No.	Description
CSW 15.5	15 Gallon Drum Sweep Compound
10663	24" Fine/Med Push Broom
HAM421	Broom Handle



CORREX

Part No.	Description
Correx	48" x 96"



MASONITE

Part No.	Description
719144	1/8" 48" x 96" Temp HDBD S1S
158498	1/4" 48" x 96" Temp HDBD S2S



BUILDER BOARD

Part No.	Description
BLD38100	38" x 100' Builder Board



CARPET SHIELD

Part No.	Description
CAR 36X200	Carpet Shield 36" x 200'



STICKY MATS

Part No.	Description
TM2436-SMF	This is one frame with 30 layer plastic peel away sheets



SHOVELS

Part No.	Description
16-800	Abs/Poly grain hog scoop shovel D-Handle size 12
LAG12D	Aluminium grain scoop blade #12



FIRE EXTINGUISHERS

Part No.	Description
466112	5lb ABC Fire Extinguisher
466206	20lb ABC Fire Extinguisher







SAFETY HARNESS



Part No.	Description
2199847	Compliance in a Bag – 5 Point Harness, 8' Retractable Lanyard & Tie-Off Adapter
AD120R	20' Self-Retracting Lifeline, 310lb Capacity

HARD HATS







Part No.	Description
HP16010	White Hard Hat 6PT Snap Suspension
HP46110	White 6PT Hard Hat V-Guard Style
S1010	Face Shield Lens Only
HHAN	Bracket for Face Shield

FIRST AID KITS





Part No.	Description
930010PF	First Aid Kit 10 Person
930225MF	First Aid Kit 25 Person
226UFAOF	First Aid Kit 50 Person

SAFETY VESTS AND EYE WEAR







Part No.	Description					
DPG52-1D	Lightweight Clear Glasses					
DPG52-2D	Lightweight Smoke Glasses					
DPG55-1D	Dual Comfort Glasses Clear					
DPG55-6D	Dual Comfort Glasses Mirrored					
LCT20	Lens Cleaning Station					
SV2G	Green Mesh Safety Vest					
SV2GS	Green Solid Safety Vest					
SVG	Green Mesh Safety Vest - No Tape					
SV0	Orange Mesh Safety Vest – No Tape					

HEARING PROTECTION







Part No.	Description
DP1001	Ear Plugs Corded (100 per box)
PM2010	Ear Muff Hearing Protection

CUT LEVEL GLOVES

Part No.	Description				
9688XL	Flex-Tuff 2, Coated Palm and Fingers				



SANDING MASKS

Part No.	Description
8210	Sanding Mask 20pk 3M
8511	Mask W/ Respirator





FINISHING & SANDING

LEVELLINE







Part No.	Description	Qty/Case
AUTOPR0	Autopro Machine for LevelLine	Each
LL100-12	LevelLine 100' Roll	12
LL250	LevelLine Pro 3.75"	Each

SANDING SPONGES







Part No.	Description	Grit	Box/Case Qty
601007-240	Z-Foam	Medium/Fine	(24/bx)(240/ cs)
500027-240	Single Slant Block	Medium (60)	(24/bx)(240/ cs)
400037-240	Double Slant	Medium/Fine (60/100)	(24/bx)(240/ cs)
GRAY 6100	Square Sanding Sponge (Gray)	Fine/Medium	250 Bulk

TAPE







Part No.	Description	Qty/Case
2PWC	2" x 300' Mesh Tape	36
MMM026820	Blue Painters Tape	12
90702	7 mil 2" x 55 Yard Duck Tape	12

DRYWALL SANDER







Part No.	Description	Qty/Box
7800	4.7 Amp Drywall Sander with 13-Foot Hose	Each
77085	80 Grit Drywall Sanding Pad	5
77105	100 Grit Drywall Sanding Pad	5
77125	120 Grit Drywall Sanding Pad	5
77155	150 Grit Drywall Sanding Pad	5
77185	180 Grit Drywall Sanding Pad	5
77225	200 Grit Drywall Sanding Pad	5

POLE SANDER



Part No.	Description					
DC317	Pole Sander					
301001	3-3/16" x 11-3/4" Aluminum Oxide					







WHAT DO WE SELL?

SAFETY SUPPLIES

Boots Barrier Tape Cleaning Supplies Compliance in a Can

Cones

Ear and Eye Protection

Fall Protection Fire Extinguishers First Aid Kits

Gas Cans

Gloves

Hard Hats

Head and Face Protection

High Visibility Clothing Ladders

Lanyards Padlocks

Rain Gear

Respiratory Protection

Retractable Harness

Safety Cans Safety Fencing

Scaffolding (Portable)

Shoe Covers

Signs Tape

Traffic Cones

Vests

Water Coolers

FASTENERS

Acoustical Lags Anchor Bolts Anchors

Brad Nails

Buildex Fasteners Cement Board Screws

Coated Fasteners Collated Screws

Concrete Screws **Deck Screws**

Direct Fastening

Drop-ins **Drywall Anchors**

Drywall Screws Elco Fasteners Finish Nails

Galvanized Nails

General Hardware Lag Screws

Lok-Bolts Nail-Ins

Powder Actuated Pins Powers Trak-It Pins Roofing Nails Roofing Staples Sammys

Self-Drilling Screws

Siding Nails

Stainless Steel Nails Stainless Steel Screws

Stainless Steel Staples

Tapcons

TEK 4 and TEK 5 Screws

Tek Screws Trakfast Pins

FIRESTOPPING

Acoustical Spray Smoke & Sound Seal Caulking Guns

Elastomeric Sealants

Endothermic Sealants

F7 Path Fast Tack Firestop Pillows Firestop Spray Top Track Gaskets

POWER TOOLS

Air Compressors Angle Drills **Angle Grinders**

Angled Finish Nailers

Band Saws **Blowers Brad Nailers**

Breaker Hammers Chain Saws

Chop Saws Circular Saws Cut Off Saws

Demolition Hammers Digital Inspection Cameras

Drywall Routers Extension Cords Finish Nailers Generators

Grease Guns Hammer Drills Heat Guns

Impact Drivers Impact Guns Impact Wrenches

Jig Saws Jobsite Radios

Lasers Miter Saws

Powder Actuated Guns

Pressure Washers Reciprocating Saws Rotary Hammers

Sanders Screw Guns Shears Skil Saws

Table Saws Trakfast Guns

Tuckpoint Grinders Vacuums

POWER TOOL ACCESSORIES

Band Saw Blades

Batteries Bit Holders

Bits

Carbide Bits

Chargers

Chisels

Chop Saw Blades

Circular Saw Blades Cut Off Saw Blades

Diamond Blades **Dust Extractors**

Filter Bags **Grinding Wheels**

Hammer Bits Hole Saws

Impact Bits Impact Sockets

Jiq Saw Blades **Nut Drivers**

Reciprocating Saw Blades

Rotozip Bits Sanding Pads Screeds

MEASURING & LAYOUT

360° Lasers Chalk Reels

Laser Distance and Angle

Measuring Tools

Laser Levels Lasers Levels Line Lasers Marking Paints Measuring Wheels Rotary Lasers

Squares Stud Finders Tape Measures

Tripods

HAND TOOLS

Axes **Bold Cutters** Cable Cutters Chisels Clamps Corner Rollers Floats Groovers

Hammer Tackers

Hammers Hand Saws

Hawks Hepa Filters

Joint Knives Mallets

Pliers

Screw Drivers

Staplers Tool Belts Trowels

Utility Knives

Vices Wrecking Bars Wrenches

EXTERIOR SUPPLIES

Adhesives **Batteries Brooms** Brushes **Buckets Bulk Chain** Canvas Carts Carpet Shield

Casters Drywall Carts Drywall Dollies **Dump Carts**

Dust Containment Extension Cords

Fire Retardant Poly Flashlights Hand Trucks Heaters

Hoses Ice Melt Job Site Lighting

Knaack Job Boxes Padlocks

Plants Platform Boards

Poly Rags Rakes Rope Scrapers Shovels Spray Paints Squeegees

Staging Sweeping Compound

Tape Tarps

Tie Wire Trash Bags **Tuf-Towers Utility Carts** Wheelbarrows Pre-Tied Wire

COMMERCIAL DOORS & HARDWARE

Access Panels Door Closers Door Hardware Door Pivots Electric Hardware Exit Devices Flush Bolts Hinaes Lever Trim Lock Guards

Metal Doors and Frames Protection Plates Strikes Full Service Take-Offs

INTERIOR PROTECTION

Builder Board Fire Extinguishers Surface Protection

DRYWALL SUPPLIES

Corner Rollers **Autopro Machines** Chop Saw Blades Chop Saws Cut Out Tools Drywall Dollies Drywall Sandpaper **Drywall Screws Drywall Trowels Dust Masks Extension Cords**

Floats Hawks Joint Knives Knife Blades Lasers Levelline Products

Mesh Tape Mud Mixers **Power Tools** Sanding Sponges Scaffolds Screw Guns Shims Trowels Utility Knives





(Officer Signature)

(Title)

STAR SALES & DISTRIBUTING CORP INC. 29 Commerce Way Woburn, MA 01801 Telephone (800) 222-8118 Fax (781) 933-2145 www.starsales.com

Business Name:						
Bill to Address:	et or Box Number)	(City)		State)	(County)	(Zip Code)
		,				
Tel			Email			
Bill to Address:	et or Roy Number)	(City)		State)	(County)	(Zip Code)
			·	,		
Tel	Fax	Cell	Email			
Ownership: Sole Owner	☐ Partnership	☐ Corporation	Federal Tax ID:			
Principals:		President				
(N	Name)			(Home Ad	dress)	
		Treasurer		(Home Ad	dress)	
,		OlI-		(1101110710	a. 600)	
	Name)	Cierk		(Home Ad	dress)	
Length of Time in Business:	Vears	Months				
-						
Type of Business:						
Tax Exemption (if applicable):		lease attach copy of tax certifica			
Is this business affiliated or	part of another bu	siness that is now	on our books?	∕es □	l No	
If yes, what is the name of th	ne business already	y on our books?				
Bank References:						
(Name) (Street	t Address)	(City) (State)	(Zip)	(Telephone)	(Checking or Savings)
Trade Reference:						
(Name) (Street	t Address)	(City) (State)	(Zip)	(Telephone)	(Checking or Savings)
Trade Reference:	Name) (Street	 t Address)	(City) (State)	(Zip)	(Telephone)	(Checking or Savings)
,	,	•			,	
Applicant authorizes any sup _l counts and obligation for whi						
Counts and obligation for will Corp INC., I agree to terms of						
due accounts plus costs of co	,	,	. ,		•	•
certify all of the above stated			an 10% of the balance	duc. I	nave read the abo	ove durerally and
•						
(Officer Signatu	ure) (Title)	(Please print name and	d address cl	early) (Date)	
The undersigned personally	guarantees payme	ent of indebtednes	s of the above accou	nt, not	withstanding an	y limiting words o
capacities placed after their	signatures and ag	ree to be bound by	the above terms an	d condi	tions:	

(Please print name and address clearly)

(Date)



CALL 1-800-222-8118







STAR SALES WOBURN

29 Commerce Way Woburn, MA 01801

Phone: 1-800-222-8118 **Fax:** (781) 933-2145 www.starsales.com

Robert Ryan, President & C.E.O. rryan@starsales.com

Steve Serowik, Vice President sserowik@starsales.com